

eksper metal

Product Catalog 2027

Steel and aluminium in every color, surface and pattern.

Prepainted · Aluzinc · Galvanized · ZAM · Aluminium · Stainless

www.ekspermetal.com

Contents

Flat steel, long steel, aluminium and stainless steel, with sourcing, quality control, logistics and finance behind every order.

1 Company 3

Why Eksper 3

Global Network 4

Sourcing & Quality Control 5

Logistics & Trade Finance 6

Kocaeli Warehouse and Steel Service Center 7

2 Flat Steel 8

Prepainted Steel 8

Surface & Paint Systems 9

Ready-Stock Colors 10

Pattern Collection 11

Hot Rolled Steel 12

Cold Rolled Steel 13

Galvanized Steel 14

Aluzinc (Galvalume) Steel 15

ZAM Coated Steel 16

3 Aluminium 17

Polished and Painted Aluminium 17

Aluminium Surface Options 18

4 Stainless Steel 19

Stainless Steel 19

Finishes & Product Options 20

5 Long Steel 21

Rebars, Wire Rods and Wire Mesh 21

Merchant Bars, Profiles and Hollow Sections 22

6 Contact 23

Headquarters & Warehouse 23

Regional Offices 24

Our Team 25

24/7 Emergency Support 26

Quotation Request & Notes 27

CURRENT CATALOG Scan the QR code on the back cover to open the latest version of this catalog.

SINCE 2014

Why Eksper

Founder-led, with 20+ years of steel experience.
One partner for sourcing, quality control, logistics and ready stock.

2014	40+	3,000 t	20+
Founded	Countries served	Storage at Kocaeli	Years of experience

FIVE REASONS TO WORK WITH EKSPER

01	**Global sourcing**	Approved mills in Türkiye, India, Vietnam and Korea, matched to each specification.
02	**Quality control at source**	Our technical specialists in China inspect production and loading on site.
03	**Stock and processing in Kocaeli**	Stock in Kocaeli and in-house processing; forming through our partners.
04	**Export logistics and documents**	Safe packaging, container and breakbulk loading, complete export documentation.
05	**A transparent digital process**	expERA assistant and shipment tracking portal at ekspermetal.com.



www.ekspermetal.com
info@ekspermetal.com
+90 216 504 1696

One accountable partner from mill selection to port loading, with ready stock in Kocaeli.

40+ COUNTRIES

Global Network

Sourcing from steel-producing regions worldwide, supplying customers in more than 40 countries.

SOURCING ORIGINS


- Türkiye
- India
- Vietnam
- Korea
- China
- Europe

EKSPER
QC · LOAD · SHIP

MARKETS

- Latin America
- Africa
- CIS
- Western Balkans
- Western Europe

REGIONAL OFFICES




Türkiye
Headquarters



Latin America
Regional office



Western Balkans
Regional office



China
Quality control office

NETWORK AT A GLANCE

6
Sourcing origins

5
Market regions

4
Office locations

Meeting customers at fairs in Dubai, Lagos, Nairobi, Medellín, Lima and Bogotá.

Sourcing & Quality Control

One controlled path for every order: specify, source, inspect and load.

01
Specify
Grade, dimensions, coating and packaging agreed before production.

02
Source
Orders placed with approved mills matched to the specification.

03
Inspect
Our technical team checks production on site: thickness, coating, bending.

04
Load
Loading is supervised and checked before the shipment departs.

QUALITY CHECKS IN PRACTICE




Gloss test



Thickness measurement



Bend test



Loading supervision

WHAT WE INSPECT

- Coating mass and paint thickness
- Bend and break
- Color comparison
- Surface smoothness
- Gloss
- Color fading
- Paint peeling
- Size measurement
- Protective film

WHAT WE CONTROL AT LOADING

- Packaging and marking
- Container and breakbulk loading
- Lashing and stuffing
- Loading documents

Quality inspection procedures are applied at production and again at loading.

Logistics & Trade Finance

Packed, loaded and documented for export, with every step visible in one portal.

01
Safe packaging
Coils and bundles packed to protect surface and edges in transit.

02
Container and breakbulk
Loading planned and supervised for both shipment types.

03
Export documentation
Complete documents prepared by a team experienced in export procedures.

04
Shipment tracking
Follow each step of your order in the customer portal.

FROM CONFIRMED DRAFT TO DELIVERY

01
Draft order
Quantities, specification and packaging agreed.

02
Proforma invoice
Prepared once the draft is confirmed.

03
Production and QC
Inspected before dispatch.

04
Loading and documents
Shipment loaded, documents ready.


05
Tracking
Status and documents in the portal.

CUSTOMER PORTAL

Every shipment, one portal

Monitor shipments, access documents and track each step of your export process in one secure portal.

portal.ekspermetal.com →



Payment terms and trade-finance options are agreed per order with your sales contact.

Kocaeli Warehouse and Steel Service Center

Own warehouse in Başiskele with ready stock and in-house processing for coated flat steel.

3,000 t	15 t	Kocaeli
Storage capacity	Coil lifting capacity	Başiskele, Türkiye

PROCESSING SERVICES

In-house services

Slitting, 0.20-0.80 mm

Cut to length

Film application

Recoiling to smaller coils

Services arranged with partners

Trapezoidal and corrugated forming

Metal tile forming

Slitting, 0.80-4.00 mm

READY TO SHIP

RAL prepainted coated steel

Pattern printed coated steel

Quality inspection at production and at loading

LOGISTICS

Loading supervised and checked before departure

Export documentation support


Logistics coordination



Check current availability before you request a quote. Scan the code for the current stock list.

READY STOCK
Scan for the current stock list

PPGI / PPGL



Prepainted Steel

Color-coated coils and sheets for roofing, cladding and architectural work, in 200+ RAL Classic colors and printed patterns, or custom colors matched to approved samples.


SPECIFICATIONS

Substrates	Galvanized (GI / DX51D), Aluzinc (AZ150), ZAM
Coating mass	Z50-Z275 · AZ40-AZ180 · ZM30-ZM150
Base thickness	0.15-1.50 mm (excl. coating)
Width	30-1,500 mm
Coil weight / ID	2.5-9 t · ID 508 / 610 mm
Standards	EN, ASTM, JIS: commercial and special grades


PAINT SYSTEMS

PE	Polyester
PVC	Plastisol
HDP	High-durability polyester
PVDF	Fluoropolymer, premium weather resistance
EP	Epoxy primer · back coat

SURFACE OPTIONS



Hi-Gloss



Semi Gloss


Matt


Wrinkled


Printed


Embossed


3D

SUPPLY FORMS

Coil · Slit coil · Sheet

APPLICATIONS

Roofing & facade cladding · Roll-formed sheets & panels · Appliance exterior panels · Architectural applications

Slitting to your width, custom production from approved samples, quality checks at production and loading.


READY STOCK
Scan for the current stock list

Surface & Paint Systems

Seven surface finishes and four paint systems, matched to exposure, formability and end use.



SURFACE FINISHES



Hi-Gloss

60-70 GU

Bright, highly reflective finish for interior panels, appliances and decorative cladding.



Semi Gloss

40-60 GU

Balanced sheen between high-gloss and matt, reducing glare while keeping colors vivid.



Matt

< 40 GU

Low-sheen, non-reflective surface.




Wrinkled

Deep matt texture that diffuses light and adds three-dimensional depth.



Printed

Wood, stone and decorative patterns with the look of natural materials.



Embossed

Three-dimensional texture that adds visual depth, touch and light play.



3D

Embossed wood grain, stone and geometric patterns with tactile depth.

Pattern range

See all printed and 3D designs on page 11.

Pattern Collection →

PAINT SYSTEMS

PE

Polyester

Standard durability

HDP

High-Durability Polyester

Enhanced UV resistance

PVDF

Fluoropolymer

Premium weather resistance

PVC

Plastisol

Thick PVC coating for deep forming

Finish, color and paint system are confirmed per order with your sales contact.

Ready-Stock Colors

RAL colors our warehouse typically holds in stock on prepainted steel. Availability changes over time; scan for the current stock list.



READY-STOCK RAL COLORS

11 colors · 4 coming soon

RAL 8019 Grey brown	RAL 9016 Traffic white	RAL 9002 Grey white	RAL 9006 White aluminium	RAL 9007 Grey aluminium
RAL 9005 Jet black	RAL 8017 Chocolate brown	RAL 7016 Anthracite grey	RAL 5010 Gentian blue	RAL 3011 Brown red
RAL 3009 Oxide red	RAL 8004 Copper brown	RAL 9003 Signal white	RAL 1018 Zinc yellow	RAL 6029 Mint green


COMING SOON

Prepainted steel is available from ready stock. Other RAL shades and custom colors are produced to order.

READY STOCK
Scan for the current stock list

Pattern Collection

Printed and embossed patterns across five categories. Patterns marked In stock are typically held at our Başiskele warehouse. Availability changes; the full range is produced to order.



WOOD

7 models



W3D-01
Rustic Oak



W3D-02
Weathered Pine



W3D-03
Classic Walnut




W3D-04
Maple Matt



WPL-01
Cherry Plain



WPL-02
Beech Linear




WPL-03
Sand Oak

STONE WALL

4 models




SWPL-01



SWPL-02



SWPL-03



SWPL-04

MARBLE


4 models




MRBL-01



MRBL-02



MRBL-03



MRBL-04

CAMOUFLAGE

4 models



CAM-01



CAM-02




CAM-03




CAM-04

DECORATIVE


4 models



DECO-01



DECO-02



DECO-03




DECO-04

Availability changes with stock. Scan for the current list; other patterns are produced to order.

READY STOCK
Scan for the current stock list

HRC / HRP



Hot Rolled Steel

Cost-efficient flat product for construction, machinery and fabrication where strength and formability matter most.

SPECIFICATIONS

Thickness	1.20-25.4 mm
Width	50-2,100 mm
Inner diameter	508 / 610 / 762 mm
Coil weight	6-39 t
Standards	EN, ASTM, JIS: commercial and special grades
Supply origins	Türkiye · China · India · Europe

GRADE FAMILIES

- Commercial: Q235, SS400, A36, S235JR
- Pressure & pipe: A515 Gr.60, API 5L Gr.A, P235GH
- Structural: Q345, A572 Gr.50, S355JR
- Shipbuilding: BV-A, ABS

SUPPLY FORMS



Coil

Preferred for continuous processing, service centers and high-volume industrial supply.



Slit coil

Preferred for narrow-width requirements and downstream processing applications.



Cut-to-length sheet

Preferred for flat-sheet fabrication, forming and ready-to-process applications.

APPLICATIONS

Steel Structures · Boilers · Shipbuilding · Machinery & Equipment · Construction & Infrastructure · Pipe & Profile Production · Pressure Vessels · Heavy Fabrication · Wear-Resistant Parts · Cold Rolling Feedstock

Feedstock for coating and cold rolling lines, and direct material for structural and industrial fabrication.

CRC / CRS

Cold Rolled Steel

Smooth, clean surface with tighter dimensional tolerances and reliable forming performance for precision applications.

SPECIFICATIONS

Thickness	0.20-3.00 mm
Width	20-1,780 mm
Inner diameter	508 / 610 mm
Coil weight	1.5-9 t
Standards	EN, ASTM, JIS: commercial and special grades
Supply origins	Türkiye · China · India · Vietnam · Europe

GRADES

- DC01-DC06: commercial to ultra deep drawing
- Enamelling quality
- Full hard quality
- Deep drawing quality

SURFACE OPTIONS

- Bright surface
- Black annealed surface
- Oiled · Non-oiled

SUPPLY FORMS




Coil

Supplied in coil form for continuous processing and large-volume production.



Slit coil

Available in slit strip form for narrower width requirements and further processing.



Sheets

Supplied as cut-to-length sheets for flat part production and easier handling.

APPLICATIONS


Automotive · White Goods · Tubes & Profiles · Furniture · Construction · Enamelware · General Manufacturing · Metal Components

Coils, strips and cut-to-length sheets, with surface and oil options matched to forming and end use.

GI

Galvanized Steel

Zinc-coated coils and sheets for construction, appliances and HVAC.



SPECIFICATIONS

Width	5-1,750 mm
Thickness	0.135-6.00 mm (BMT, excl. coating)
Inner diameter	508 / 610 mm
Coil weight	1.5-9 t
Standards	EN, ASTM, JIS: commercial and special grades
Processing	Cut-to-length support


SURFACE OPTIONS

- Zero spangle
- Minimum spangle
- Regular spangle

SUPPLY ORIGINS

Türkiye · China · India · Vietnam · Europe

SUPPLY FORMS




Coil

Preferred for continuous processing, roll forming and high-volume industrial use.



Slit coil

Preferred for profile lines, tube production and narrow-width industrial applications.



Cut-to-length sheet

Preferred for flat-sheet fabrication, panel production and ready-to-process applications.



Corrugated sheet

Preferred for roofing, cladding and lightweight building envelope applications.



Trapezoidal sheet

Preferred for roof and wall systems requiring profiled geometry and structural form.



Pipes & profiles

Preferred for corrosion-resistant structural, outdoor and industrial applications.

APPLICATIONS

Roofing Panels · Rainwater Systems · Flashing Components · Cladding Systems · Facade Panels · Architectural Trims · Appliance Components · HVAC Ducts · Electrical Cabinets · Profiles & Tubes

Coil, slit coil and sheet formats, with cut-to-length support and checks at production and loading.

Aluzinc (Galvalume) Steel

A bright aluminium-zinc coated steel for roofing, prepainted applications and industrial uses where corrosion resistance and surface appearance matter.

SPECIFICATIONS

Width	20-1,250 mm
Thickness	0.15-2.00 mm (BMT, excl. coating)
Inner diameter	508 / 610 mm
Coil weight	1.5-9 t
Coating	AZ50-AZ150 · 55% Al, 43.4% Zn, 1.6% Si
Standards	EN, ASTM, JIS: commercial and special grades

SUPPLY ORIGINS


Türkiye · China · India

TREATMENT OPTIONS


AFP: anti-fingerprint layer

Oiled / non-oiled


SURFACE OPTIONS



Regular spangle



Minimum spangle



Colored AFP

APPLICATIONS

ROOFING

- Corrugated Sheets
- Roofing Panels
- Rainwater Systems
- Flashing Components

PREPAINT BASE

- Prepainted Steel Production
- Coated Panels
- Profiled Sheets
- Decorative End Uses

INDUSTRIAL USE

- Appliance Components
- Electrical Cabinets
- HVAC Parts
- Industrial Freezers
- Light Steel Framing

Coil, slit coil and sheet formats, with cut-to-length support and checks at production and loading.

ZAM Coated Steel

ZAM100 matches Z275 galvanized steel in corrosion resistance. With coatings up to ZAM600, it delivers longer life in harsh environments.

SPECIFICATIONS

Width	150-1,500 mm
Thickness	0.50-6.00 mm (BMT, excl. coating)
Coating range	ZAM60-ZAM600 (nominal)
Coil weight	1.5-15 t
Grades	DX51D · S250GD-S550GD (EN 10346)
Standards	EN, ASTM, JIS: commercial and special grades

SUPPLY ORIGINS

China · Korea · Europe · Vietnam · India

ALSO AVAILABLE

Corrugated sheets


KEY PROPERTIES

Corrosion resistance

Cut-edge protection

Longevity-focused

SUPPLY FORMS




Slit Coil

Slit to required widths for processing and fabrication.



Profiles

Profiles for PV mounting and structural framing.



Sheet

Cut-to-length sheet for direct fabrication.


APPLICATIONS

Mounting Racks · Ground Structures · Wind Components · Roofing & Cladding · Structural Framing · Guardrails · Greenhouse Frames · Livestock Housing · HVAC & Ductwork · Marine Equipment

Coil, slit coil and sheet formats, with cut-to-length support and checks at production and loading.

Polished & Painted Aluminium

Lightweight, corrosion-resistant aluminium solutions for building, decorative and selected industrial applications.



SPECIFICATIONS

Standards	EN 573-3, EN 485-2, EN 1396, ASTM B209
Alloy series	1xxx · 3xxx · 5xxx · 8xxx
Inner diameter	508 mm
Coil weight	2-5 t
Protective film	Optional PE film

SUPPLY FORMS

- Coil
- Slit coil
- Sheet

PRODUCT OPTIONS


- Polished coils and sheets
- Painted coils
- Embossed and printed finishes

OPTIONS




Polished

Clean metallic appearance and natural reflectivity in an unpainted aluminium finish.



Painted

RAL Classic palette: 213 colors in 9 families, or custom colors to approved samples.



Embossed

Stucco and diamond embossing; reduces glare and hides handling marks.



Printed

Wood, copper-look and decorative patterns for feature walls, interiors and bespoke projects.

APPLICATIONS

Roofing Sheets · Rainwater Systems · Flashings & Ridge Caps · Cladding Systems · Architectural Trims · Composite Panels · Ceiling Systems · Lighting Fixtures · Signage · Feature Walls · Elevator Cabins

Available via warehouse and mill supply. Painted and polished supply is based on project needs.

READY STOCK
Scan for the current stock list

Surface Options


Choose the surface character that best fits your project's visual, coating and application priorities.


Polished

Selected when a clean metallic appearance, natural reflectivity and an unpainted aluminium finish are required.

TYPICAL USES

Reflectors & lighting fixtures · Decorative trim & signage · Appliance & kitchen panels · Interior ceiling & wall panels






Painted

Selected when color consistency, coated durability and architectural finishing flexibility are required.

TYPICAL USES

Roofing & facade cladding · Composite panel (ACP) skins · Rolling shutters & garage doors · Gutters & rainwater systems




Embossed

Selected when a textured surface is needed. Stucco and diamond embossing add texture that reduces glare and helps hide handling marks.

TYPICAL USES

Insulation jacketing · Refrigeration & cold-room panels · Appliance back panels · Ceiling & wall panels




Printed

Selected when the project requires a more expressive finish such as wood-effect or stone-look surfaces.

TYPICAL USES

Wood-look facades & cladding · Interior wall & ceiling panels · Retail fixtures & shelving · Elevator cabins & decorative trim

Painted: RAL Classic palette, 213 colors in 9 families. Printed: 13 pattern models in 3 categories.




Stainless Steel

Flat and long stainless steel in 200, 300 and 400 series, with mill, polished and colored finishes matched to each end use.

SPECIFICATIONS

	300 SERIES	200 SERIES	400 SERIES
Type	Austenitic, chromium-nickel	Austenitic, lower nickel	Ferritic & martensitic
Grades	304, 304L, 316, 316L, 310S, 321	201, 202	430, 409, 410
Standards	EN, ASTM and JIS: commercial and special grades; additional grades on customer specification		
Origins	Türkiye China Taiwan Korea		

PRODUCTS




Flat Products

Coil, sheet, plate and strip. Cold rolled 0.30-3.00 mm, width 1,000-2,000 mm; hot rolled plate 3-120 mm.



Long Products

Round, square and flat bars, angles, tubes and pipes. Round bar 12-600 mm, lengths up to 6 m.



Surface Finishes

2B, BA, No.4, Hairline, 8K, Bead Blast and Color & PVD, matched to each end use.

APPLICATIONS

Work Tables & Sinks · Cookware · Range Hoods · Food Processing · White Goods · Built-in Ovens · Washing Drums · Ventilation · Cabin Panels · Doors & Frames · Escalators · Lobby Cladding

Flat and long products, mixed in one container, with production and loading checks.

Finishes & Product Options


Surface finish defines how stainless steel looks, reflects light and hides wear. Choose mill, polished or colored finishes for each application.

SURFACE FINISHES


2B Matt



BA Bright


No.4 Brushed


Hairline



8K Mirror



Bead Blast



Color & PVD


No.1 · Hot rolled plate

PRODUCT OPTIONS


Coil


Sheet


Plate


Strip


Chequered Plate


Round Bar


Square Bar


Flat Bar


Angle


Tube & Pipe

APPLICATIONS

APPLICATION	GRADES	FINISHES
Industrial Kitchen & Foodservice	304, 201	No.4, 2B
Cookware & Tableware	201, 304, 430	2B, BA, 8K
White Goods & Built-in Appliances	430, 304	BA, No.4, Hairline
Heating & Ventilation	430, 304, 321, 310S	2B, No.4
Elevators & Escalators	304, 201	Hairline, 8K, PVD
Automotive & Transport	409, 410, 430, 304	2B, BA
Architecture & Furniture	304, 316L	Hairline, 8K, Bead Blast
Machinery & Textile Equipment	304, 316L, 410	Plate and bars

Not sure which finish fits? Share the end use and environment, and our team will suggest the right grade, finish and product form.

Rebars, Wire Rods & Wire Mesh

Reinforcement and drawing-grade long steel for construction, fabrication and industrial manufacturing.

SPECIFICATIONS

	REBAR	WIRE ROD	WIRE MESH
Size	6-54 mm	5.5-34 mm	Wire 3.4-11.0 mm, aperture 50-250 mm
Bundle weight	1,000-2,500 kg	350-2,100 kg	n/a
Length / panel	6 / 8 / 9 / 12 / 18 m	In coils	500-2,650 × 1,000-10,000 mm
Standards	ASTM A615 Gr.40/60, BS 4449 B500B, DIN 488 BSt 420/500	SAE 1006-1022, DIN 17100 ST 37.2	TS 4559, DIN 488, BS 4483 / ASTM A185
Origins	Türkiye	Türkiye China	Türkiye China

PRODUCTS




Rebars

Deformed and plain reinforcing bars, supplied straight, once-folded or in coils.



Wire Rod

Hot-rolled coils as feedstock for cold drawing, cold forming and mesh production.



Wire Mesh

Welded mesh for concrete reinforcement, fencing and industrial use, in panels or rolls.

APPLICATIONS

Foundations · Columns · Beams · Slabs · Precast Panels · Cold Drawing · Mesh Welding · Fasteners · Springs · Bridges · Retaining Walls · Fencing

Share your specification with us to check current stock and supply options.

Merchant Bars, Profiles & Hollow Sections

Versatile steel profiles for fabrication, support systems and general steelwork in structural and industrial applications.

SPECIFICATIONS

	ROUND BARS	C PROFILES	SQUARE HOLLOW (SHS)
Size	6-80 mm diameter	C60-C300 mm	10×10-800×800 mm
Weight / thickness	0.222-39.457 kg/m	1.5-6 mm	0.60-50 mm
Length	5.5-12 m	Cut to length, up to 12 m	3-18 m
Standards	DIN, EN, ASTM	EN 10162, EN 10346, EN 1090	EN 10219, EN 10210, ASTM A500
Grades	S235JR, S275JR, S355JR / S355J2, ASTM A36, ASTM A572 Gr.50	S250GD+Z / S280GD+Z, S350GD+Z, S235JR + HDG, S355JR + HDG	S235JRH, S275J0H / S275J2H, S355J0H / S355J2H / S355K2H, S420MH / S460MH

PRODUCTS




Merchant Bars

Round, square and flat bars, angles and T profiles for fabrication and general steelwork.



Profiles

C, Omega, Sigma, W-beams, IPE and IPEA, hot-rolled or pre-galvanized.



Hollow Sections

Square, rectangular and circular closed profiles for frames, columns and solar trackers.

APPLICATIONS

Frames · Supports · Joists · Walkways · Railings · Machinery Frames · Solar Mounting · Purlins · Light Framing · Columns · Welding · Bending · Punching · Forming

Supply aligned with inquiry and availability. Share your specification for current options.

Headquarters & Warehouse

We run international steel trade from Istanbul and deliver from our own warehouse in Başiskele or through the Başiskele port.

HEADQUARTERS · ISTANBUL

Türkiye Headquarters

+90 216 504 1696

+90 850 227 0652

info@ekspermetal.com
muhasebe@ekspermetal.com
logistics@ekspermetal.com

Şerifali Mh. Kıble Sk. No:19/21
Loft Up 7.60 Kat 1 Daire 4
Ümraniye, İstanbul
View on Maps →



WAREHOUSE · KOCAELI

Türkiye Warehouse


+90 262 502 6827

+90 533 505 1453

cenk.uzoglu@ekspermetal.com

Karadenizliler Mahallesi, Bilim Sokak, No:13/2
Başiskele / Kocaeli
View on Maps →

Urgent shipment issue? Our 24/7 emergency team is on page 26.



Regional Offices

Our teams in Latin America and the Western Balkans work with buyers in their own markets, and our team in China supports sourcing and quality control on site.

REGIONAL OFFICE

Latin America Office

Edgardo Fleitas
Regional Manager

latinamerica@ekspermetal.com

+595 21 523 732
+595 21 523 793

Capitan Victoriano Bueno 572/c
Victor Heyn. Suite 104. Edificio 572
Primer Piso, Barrio Villa Aurelia
Asunción, Paraguay
View on Maps →

REGIONAL OFFICE

Western Balkans Office

Kastriot Jahaj
Regional Manager

kastriot.jahaj@ekspermetal.com

+355 4 2440001
+355 682 015 655

Square 21" Residence Ent. 2,
Fl 2, Ap. 5, Kavaja Street
Tiranë, Albania
View on Maps →

REGIONAL OFFICE

China Office

Jack Lee
Regional Manager

jack.lee@ekspermetal.com

+86 185 6032 4996


Building 3, BinJiang No.1 Community,
Shenzhen Road, Zhoucun District
Zibo City, Shandong, China
山东滨江壹号 3-2-501 室 杏园路 邮编
255300
View on Maps →



Latin America office



Western Balkans office



China office

WHAT EACH OFFICE DOES

Latin America

Liaison office since 2016, coordinating customers across the region.


Western Balkans

Regional market team for customers in the Western Balkans.

China

On-site quality control and sourcing support since 2014.

Your regional office is the fastest way to reach a local team.



Our Team

Managers in Türkiye, Latin America, the Western Balkans and EMEA, one call away.

MANAGEMENT AND SALES

Umut Erdal
Managing Director

umut.erdal@ekspermetal.com
+90 216 504 1696
+90 549 423 0988

Mert Kızay
Export Sales Manager

mert.kizay@ekspermetal.com
+90 216 504 1696
+90 546 423 6050

REGIONAL AND CUSTOMER MANAGEMENT



Kastriot Jahaj
Western Balkans Region Manager

kastriot.jahaj@ekspermetal.com
+355 4 2440001
+355 682 015 655



Edgardo Fleitas
Latin America Manager

latinamerica@ekspermetal.com
+595 981 288 950
+595 21 523 732



Soufyan Iallouchen
Account Manager, EMEA

soufyan@ekspermetal.com
+90 216 504 1696
+31 6 28791579



Cenk Uzoğlu
Domestic Sales Manager

cenk.uzoglu@ekspermetal.com
+90 216 504 1696
+90 533 505 1453

FINANCE

Turgay Yüksel
Finance Director

turgay.yuksel@ekspermetal.com
+90 535 521 0815

Not sure who to contact? Write to info@ekspermetal.com and we will route your request.

EMERGENCY RESPONSE

Always within reach

For active shipment delays, customs issues or urgent quality problems, our emergency team is on call around the clock.

24 / 7
ON CALL

EMERGENCY CHANNELS

HOTLINE
+90 546 423 6050

E-MAIL
emergency@ekspermetal.com

WHATSAPP
+90 546 423 6050

WHAT QUALIFIES AS AN EMERGENCY

- Shipment delays affecting production schedules
- Customs clearance issues requiring urgent documentation
- Quality concerns discovered during unloading
- Damaged goods requiring immediate claims processing
- Missing or incorrect documentation at port
- Force majeure events affecting delivery timelines

For general inquiries, please contact the relevant department during business hours.

Request a quotation

Complete this form by hand, take a photo and send it by e-mail or WhatsApp. We reply with a quotation.

Company

Contact person

Country

Phone / WhatsApp

E-mail

Delivery destination

PRODUCT

☐ Prepainted steel ☐ Galvanized steel ☐ Aluzinc ☐ ZAM ☐ Hot rolled ☐ Cold rolled ☐ Aluminium

☐ Stainless steel ☐ Rebar and merchant bars

RAL / pattern code

Thickness x width (mm)

Estimated quantity (tons)

SEND YOUR REQUEST TO

Mert Kızay
Export Sales Manager
+90 546 423 6050 · WhatsApp
mert.kizay@ekspermetal.com

Scan to save contact

NOTES

Colors may look different on screen and in print. The final color is confirmed on a physical sample.

Scan the QR code on the back cover for the current catalog.

Prices and dimensions are confirmed at the quotation stage.

Product information may change. Catalog version 2027, published November 2026.

SCAN FOR CURRENT CATALOG

eksper metal

Trusted Steel Supply for Global Trade

Always up to date. Scan the code to open the current catalog.

ADDRESS
Şerifali Mh. Kıble Sk. No:19/21, Loft Up 7.60 Kat 1 Daire 4, Ümraniye, İstanbul

PHONE
+90 216 504 1696

TURKISH STEEL
ÇELİK İHRACATÇILARI BİRLİĞİ

TİM Steel Exporters: member since 2014

www.ekspermetal.com
info@ekspermetal.com
Start a quote with expERA

© 2027 Eksper Metal Ltd. · Product Catalog 2027